

# EL<sup>®</sup>MARK

The Brand of Electricity

## LEDSMD GU10



---

### Technical data:

---

- Rated voltage: 230V; 50-60Hz
- Power: 3W; 6W; 6.5W;
- Colour temperature: 2700K; 4000K; 6400K; red; green; blue
- LED source: SMD
- Lamp holder: GU10
- Beam angle: 40°; 120°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Average life: 30 000h
- Power factor:  $\lambda > 0.8$
- Starting time: < 0.5s
- Protection degree: IP20

---

### Features:

---

- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.


---

### Area of application:

---

- General illumination
- Domestic applications
- Outdoor applications only in suitable luminaires

### Variants and Dimensions:



▪ LED LAMP SMD3030 40°



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
3	-	GU10	270	4000	40°	53	50	99LED723
3	-	GU10	270	2700	40°	53	50	99LED724
6	-	GU10	540	4000	40°	53	50	99LED725
6	-	GU10	540	2700	40°	53	50	99LED726

▪ LED LAMP SMD2835 120°



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
3	-	GU10	270	4000	120°	53	50	99LED727
3	-	GU10	270	2700	120°	53	50	99LED728
6.5	-	GU10	585	6400	120°	53	50	99LED796
6.5	-	GU10	585	4000	120°	53	50	99LED729
6.5	-	GU10	585	2700	120°	53	50	99LED730

# TECHNICAL SPECIFICATION

## LAMPS AND COMPONENTS

**ELMARK**<sup>®</sup>

The Brand of Electricity

### ▪ LED LAMP SMD5050 COLOR



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
6	-	GU10	-	red	120°	53	50	99LED733
6	-	GU10	-	blue	120°	53	50	99LED734
6	-	GU10	-	green	120°	53	50	99LED735

### ▪ LED LAMP SMD2835 120° DIMMABLE



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
6.5	Yes	GU10	585	4000	120°	53	50	99LED731
6.5	Yes	GU10	585	2700	120°	53	50	99LED732

### Barcodes:

99LED723	3800131192011
99LED724	3800131192028
99LED725	3800131192035
99LED726	3800131192042
99LED727	3800131192059
99LED728	3800131192066
99LED796	3800131205124
99LED729	3800131192073
99LED730	3800131192080


# TECHNICAL SPECIFICATION

## LAMPS AND COMPONENTS

**ELMARK**

The Brand of Electricity

99LED733	3800131192110
99LED734	3800131192127
99LED735	3800131192134
99LED731	3800131192097
99LED732	3800131192103



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012



[www.elmarkholding.eu](http://www.elmarkholding.eu)